

ACA Federal Guidelines/Descriptions	CPT code(s)	DX code(s) ICD-9	DX code(s) ICD-10
One time screening for abdominal aortic aneurysm by ultrasonography in men aged 65-75 who have ever smoked	76706 (76706 effective 1.1.17), 76770 (76770 deleted 1.1.17), 76775 (76775 deleted 1.1.17), G0389 (G0389 deleted 1.1.17)	V15.82	Z87.891, F17.210, F17.211, F17.213, F17.218, F17.219
Screening and behavioral counseling interventions to reduce alcohol misuse by adults, including pregnant women, in primary care settings	99408, 99409, G0396, G0397, G0442 (G0442 effective 7.1.19), G0443 (G0443 effective 7.1.19)		
Routine screening for iron deficiency anemia in asymptomatic pregnant women	80055, 85013, 85014, 85018, 85025, 85027, 80081	V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99, 651.00-651.93	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.40, O09.41, O09.42, O09.43, O09.211, O09.212, O09.1213, O09.219, O09.30, O09.31, O09.32, O09.33, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.811, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, O09.891, O09.892, O09.893, O09.899, O09.70, O09.71, O09.72, O09.73, O09.90, O09.91, O09.92, O09.93, O09.A0, O09.A1, O09.A3, Z3A.00- Z3A.49, Z34.00, Z34.01, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z39.90, Z34.91, Z34.92, Z34.93, Z33.1
Aspirin for men age 45 to 79 years when the potential benefit due to a reduction in myocardial infarctions outweighs the potential harm due to an increase in gastrointestinal hemorrhage.			
Screening for asymptomatic bacteriuria with urine culture for pregnant women at 12 to 16 weeks gestation or at the first prenatal visit, if later.	87081, 87084, 87086, 87088	V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99, 651.00-651.93	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.40, O09.41, O09.42, O09.43, O09.211, O09.212, O09.1213, O09.219, O09.30, O09.31, O09.32, O09.33, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.811, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, O09.891, O09.892, O09.893, O09.899, O09.70, O09.71, O09.72, O09.73, O09.90, O09.91, O09.92, O09.93, O09.A0, O09.A1, O09.A3, Z3A.00- Z3A.49, Z34.00, Z34.01, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z39.90, Z34.91, Z34.92, Z34.93, Z33.1
Screening for high blood pressure in adults aged 18 and older			
Women whose family history is associated with an increased risk for deleterious mutations in BRCA1 or BRCA2 genes be referred for genetic counseling and evaluation for BRCA testing.	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215; Codes 96040/S0265 - these codes ok to allow with specified DX in any position, for women only	V10.3, V10.43, V16.3, V16.41	Z80.3, Z80.41, Z85.3, Z85.43
Women whose family history is associated with an increased risk for deleterious mutations in BRCA1 or BRCA2 genes be referred for BRCA testing.	81162, 81163, 81164, 81165, 81166	Requires Pre-Authorization; Clinical Services determines if diagnosis meets criteria	Requires Pre-Authorization; Clinical Services determines if diagnosis meets criteria
Clinicians discuss chemoprevention with women at high risk for breast cancer and at low risk for adverse effects of chemoprevention. Clinicians should inform patients of the potential benefits and harms of chemoprevention.	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215	V16.3, V16.41, V70.0, V72.31, V76.2, V72.62	Z00.00, Z00.01, Z01.411, Z01.419, Z12.4, Z80.3, Z80.41

Screening mammography for women, with or without clinical breast exam, every 1-2 years for women aged 40 and older	77052 (77052 deleted 1.1.17), 77057 (77057 deleted 1.1.17), G0202 (G0202 deleted 1.1.18), 77067 (77067 effective 1.1.17)	Payable for all adult women regardless of diagnosis. **Effective dos 1/1/17 77067 will replace 77052 & 77057.	
Interventions during pregnancy and after birth to promote and support breastfeeding			
Breast-feeding supplies	E0602 Manual Breast Pump, E0603 Electric Breast Pump, E0604 Hospital Grade Breast Pump		O30.93, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.40, O09.41, O09.42, O09.43, O09.211, O09.212, O09.1213, O09.219, O09.30, O09.31, O09.32, O09.33, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.511, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.811, O09.813, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, O09.891, O09.892, O09.893, O09.899, O09.70, O09.71, O09.72, O09.73, O09.90, O09.91, O09.92, O09.93, O09.A0, O09.A1, O09.A3, Z34.03, Z34.83, Z34.93, Z39.1
Screening for cervical cancer in women who have been sexually active and have a cervix	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0143, G0144, G0145, G0147, G0148, Q0091, G0141, P3000, P3001	V72.31, V72.32, V76.2, V70.0, V72.62, V76.2	Z00.00, Z00.01, Z01.411, Z01.419, Z01.42, Z12.4
Screening for chlamydial infection for all sexually active non-pregnant women aged 24 and younger and for older non-pregnant women who are at increased risk	86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87810	V70.0, V72.31, V72.62 V76.2, V73.88, V73.98, V74.5 V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, Z00.00, Z00.01, Z01.411, Z01.419, Z11.3, Z11.8, Z12.4, Z3A.00, Z3A.01, Z34.08 - Z3A.42, Z3A.49, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93
Screening for lipid disorders	80061, 82465, 83718, 83719, 83721, 84478	V70.0 V72.31 V72.62 V76.2 V17.3 V17.49 V15.82 V77.91 278.00 278.01 278.02 278.03 401.0 401.1 401.9 405.01 405.09 405.11 405.19 405.91 405.99 642.01 642.03 642.04 642.11 642.13 642.14 642.21 642.23 642.24 642.30 642.31 642.33 642.34 642.36 642.39 642.94 249.00 249.01 249.10 249.11 249.20 249.21 249.30 249.31 249.40 249.41 249.50 249.51 249.60 249.61 249.70 249.71 249.80 249.81 249.90 249.91 250.00 250.01 250.02 250.03 250.10 250.11 250.12 250.13 250.20 250.21 250.22 250.23 250.30 250.31 250.32 250.33 250.40 250.41 250.42 250.43 250.50 250.51 250.52 250.53 250.60 250.61 250.62 250.63 250.70 250.71 250.72 250.73 250.80 250.81 250.82 250.83 250.90 250.91 250.92 250.93 440.0 440.1 440.20 440.21 440.22 440.23 440.24 440.29 440.30 440.31 440.32 440.8 440.9 414.00 414.01 414.02 414.03 414.04 414.05 414.06 414.07 V85.41-V85.45 V20.2	E08.00, E08.01, E08.10, E08.11, E08.21, E08.22, E08.29, E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E08.351, E08.359, E08.36, E08.39, E08.40, E08.41, E08.42, E08.43, E08.44, E08.49, E08.51, E08.52, E08.59, E08.610, E08.618, E08.620, E08.621, E08.622, E08.628, E08.630, E08.638, E08.641, E08.649, E08.65, E08.69, E08.8, E08.9, E09.00, E09.01, E09.10, E09.11, E09.21, E09.22, E09.29, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E09.351, E09.359, E09.36, E09.39, E09.40, E09.41, E09.42, E09.43, E09.44, E09.49, E09.51, E09.52, E09.59, E09.610, E09.618, E09.620, E09.621, E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E09.65, E09.69, E09.8, E09.9, E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, E66.01, E66.09, E66.1, E66.8, E66.9, I10, I15.0, I15.1, I15.2, I15.8, I15.9, I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708, I25.709, I25.710, I25.711, I25.718, I25.719, I25.720, I25.721, I25.728, I25.729, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810, I25.811, I25.812, I70.0, I70.1, I70.201, I70.202, I70.203, I70.208, I70.209, I70.211, I70.212, I70.213, I70.218, I70.219, I70.221, I70.222, I70.223, I70.228, I70.229, I70.231, I70.232, I70.233, I70.234, I70.235, I70.238, I70.239, I70.241, I70.242, I70.243, I70.244, I70.245, I70.248, I70.249, I70.25, I70.261, I70.262, I70.263, I70.268, I70.269, I70.291, I70.292, I70.293, I70.298, I70.299, I70.301, I70.302, I70.303, I70.308, I70.309, I70.311, I70.312, I70.313, I70.318, I70.319, I70.321, I70.322, I70.323, I70.328, I70.329, I70.331, I70.332, I70.333, I70.334, I70.335, I70.338, I70.339, I70.341, I70.342, I70.343, I70.344, I70.345, I70.348, I70.349, I70.35, I70.361, I70.362, I70.363, I70.368, I70.369, I70.391, I70.392, I70.393, I70.398, I70.399, I70.401, I70.402, I70.403, I70.408, I70.409, I70.411, I70.412, I70.413, I70.418, I70.419, I70.421, I70.422, I70.423, I70.428, I70.429, I70.431, I70.432, I70.433, I70.434, I70.435, I70.438, I70.439, I70.441, I70.442, I70.443, I70.444, I70.445, I70.448, I70.449, I70.45, I70.461, I70.462, I70.463, I70.468, I70.469, I70.491, I70.492, I70.493, I70.498, I70.499, I70.501, I70.502, I70.503, I70.508, I70.509, I70.511, I70.512, I70.513, I70.518, I70.519, I70.521, I70.522, I70.523, I70.528, I70.529, I70.531, I70.532, I70.533, I70.534, I70.535, I70.538, I70.539, I70.541, I70.542, I70.543, I70.544, I70.545, I70.548, I70.549, I70.55, I70.561, I70.562, I70.563, I70.568, I70.569, I70.591, I70.592, I70.593, I70.598, I70.599, I70.601, I70.602, I70.603, I70.608, I70.609, I70.611, I70.612, I70.613, I70.618, I70.619, I70.621, I70.622, I70.623, I70.628, I70.629, I70.631, I70.632, I70.633, I70.634, I70.635, I70.638, I70.639, I70.641, I70.642, I70.643, I70.644, I70.645, I70.648, I70.649, I70.65, I70.661, I70.662, I70.663, I70.668, I70.669, I70.691, I70.692, I70.693, I70.698, I70.699, I70.701, I70.702, I70.703, I70.708, I70.709, I70.711, I70.712, I70.713, I70.718, I70.719, I70.721, I70.722, I70.723, I70.728, I70.729, I70.731, I70.732, I70.733, I70.734, I70.735, I70.738, I70.739, I70.741, I70.742, I70.743, I70.744, I70.745, I70.748, I70.749, I70.75, I70.761, I70.762, I70.763, I70.768, I70.769, I70.791, I70.792, I70.793, I70.798, I70.799, I70.8, I70.90, I70.91, N26.2, O10.011, O10.012, O10.013, O10.019, O10.02, O10.03, O10.111, O10.112, O10.113, O10.119, O10.12, O10.13, O10.211, O10.212, O10.213, O10.219, O10.22, O10.23, O10.311, O10.312, O10.313, O10.32, O10.33, O10.411, O10.412, O10.413, O10.42, O10.43, O10.911, O10.912, O10.913, O10.92, O10.93, O11.1, O11.2, O11.3, O13.1, O13.2, O13.3, O13.9, O16.1, O16.2, O16.3, O16.9, Z00.00, Z00.01, Z01.411, Z01.419, Z12.4, Z13.220, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z82.49, Z87.891
Screening for colorectal cancer using fecal occult blood testing, sigmoidoscopy, or colonoscopy, in adults, beginning at age 45 years and continuing until age 75 years. The risks and benefits of these screening methods vary.	44388, 44389, 44392, 44394, 44530, 45331, 45333, 45384, 45385, (44401, 44402 deleted effective 5/18/21), 44403, (44404, 44405, 44406 deleted effective 5/18/21), 44407, (44408, 45346, 45347 deleted effective 5/18/21), 45349, (45350 deleted effective 5/18/21), 45378, 45380, (45381, 45388, 45389 deleted effective 5/18/21), 45390, (45393, 45398 deleted effective 5/18/21), 81528, 82270, 82274, 88304, 88305, 99152, 99153, 99156, 99157, G0104, G0105, G0106, G0120, G0121, G0122, G0328	V12.72, V16.0 V18.51 V18.59 V76.51 V76.50 V76.41 V70.0 V72.31 V72.62	Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z80.0, Z83.71, Z83.79, Z86.010

One IUD every two years (including removal) EXCEPT J7297 which is every three years & J7298 which is every five years (effective 1/1/16), One Implant every 3 years (including removal), generic oral contraceptives, NuvaRing, Ortho Evra, diaphragms, cervical caps, emergency contraceptives (Ella, and generics only), injections, hormonal implants (including removal), and tubal ligation.	J1050, J7296 (J7296 effective 1.1.18), J7297, J7298, J7301, J7302 (J7302 deleted 1.1.16), J7307, 00851, 58605, 58611, A4264, 58565 (58565 deleted effective 12.31.18), 11981, 11982, 11983 11976, 58600, 58615 58670, 58671, Q0090, Q9984 (Q9984 deleted 1.1.18) DX criteria does not apply to these codes: J7300, 58300, 58301 Pregnancy test 81025 & 84703 within 24 hours of contraceptive placement	V25.40 V25.41 V25.43 V25.49 V25.9 V25.5 V25.11 V25.13 V25.12 V25.42 V25.2 V25.09 V26.51 Effective 3.6.14 going forward : V25.01, V25.02, V25.03	Z29.8, Z29.9, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.44, Z30.46, Z30.49, Z30.8, Z30.9, Z98.51
PEHP will cover generic birth control pills, the NuvaRing and Ortho Evra, Diaphragms and Emergency Contraceptives at 100%	A4261, A4266, A4264		
PCP's prescribe oral fluoride supplementation at currently recommended doses to preschool children older than 6 months of age whose primary water source is deficient in fluoride.			
Fluoride Varnish Application for all infants and children as soon as teeth are present.	99188 (99188 effective 7.1.19)		Z29.3
Screening of adolescents (12-18 years of age) for major depressive disorder when systems are in place to ensure accurate diagnosis, psychotherapy (cognitive-behavioral or interpersonal), and follow-up. Screening adults for depression when staff-assisted depression care supports are in place to assure accurate diagnosis, effective treatment, and follow-up.	99420 (99420 deleted 1.1.17), 96127, G0444 - Annual depression screening, 15 minutes	V79.0	Z13.89
Screening for type 2 diabetes in asymptomatic adults with sustained blood pressure (either treated or untreated) greater than 135/80 mm Hg. Gestational diabetes screening for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes	82947 82948 82950 82951 82952 83036	V70.0 V72.31 V72.62 V76.2 V77.1 401.1 401.9 402.00 402.01 402.10 402.11 402.90 402.91 403.00 403.01 403.10 403.11 403.90 403.91 404.00 404.01 404.02 404.03 404.10 404.11 404.12 404.13 404.90 404.91 404.92 404.93 405.01 405.09 405.11 405.19 405.91 405.99 642.01 642.03 642.04 642.11 642.13 642.14 642.21 642.23 642.24 642.30 642.31 642.33 642.34 642.91 642.93 642.94 V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99, 648.80-648.83, 651.00-651.93	I10, I11.0, I11.9, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I15.1, I15.2, I15.8, I15.9, N26.2, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O10.011, O10.012, O10.013, O10.019, O10.02, O10.03, O10.111, O10.112, O10.113, O10.119, O10.12, O10.13, O10.211, O10.212, O10.213, O10.219, O10.22, O10.23, O10.311, O10.312, O10.313, O10.32, O10.33, O10.411, O10.412, O10.413, O10.42, O10.43, O10.911, O10.912, O10.913, O10.92, O10.93, O11.1, O11.2, O11.3, O13.1, O13.2, O13.3, O13.9, O16.1, O16.2, O16.3, O16.9, O24.410, O24.414, O24.415, O24.419, O24.420, O24.424, O24.425, O24.429, O24.435, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, O30.90, O30.91, O30.92, O30.93, O31.10x0, O31.10x1, O31.10x2, O31.10x3, O31.10x4, O31.10x5, O31.10x9, O31.11x0, O31.11x1, O31.11x2, O31.11x3, O31.11x4, O31.11x5, O31.11x9, O31.12x0, O31.12x1, O31.12x2, O31.12x3, O31.12x4, O31.12x5, O31.12x9, O31.13x0, O31.13x1, O31.13x2, O31.13x3, O31.13x4, O31.13x5, O31.13x9, O31.20x0, O31.20x1, O31.20x2, O31.20x3, O31.20x4, O31.20x5, O31.20x9, O31.21x0, O31.21x1, O31.21x2, O31.21x3, O31.21x4, O31.21x5, O31.21x9, O31.22x0, O31.22x1, O31.22x2, O31.22x3, O31.22x4, O31.22x5, O31.22x9, O31.23x0, O31.23x1, O31.23x2, O31.23x3, O31.23x4, O31.23x5, O31.23x9, O31.30x0, O31.30x1, O31.30x2, O31.30x3, O31.30x4, O31.30x5, O31.30x9, O31.31x0, O31.31x1, O31.31x2, O31.31x3, O31.31x4, O31.31x5, O31.31x9, O31.32x0, O31.32x1, O31.32x2, O31.32x3, O31.32x4, O31.32x5, O31.32x9, O31.33x0, O31.33x1, O31.33x2, O31.33x3, O31.33x4, O31.33x5, O31.33x9, O31.8x10, O31.8x11, O31.8x12, O31.8x13, O31.8x14, O31.8x15, O31.8x19, O31.8x20, O31.8x21, O31.8x22, O31.8x23, O31.8x24, O31.8x25, O31.8x29, O31.8x30, O31.8x31, O31.8x32, O31.8x33, O31.8x34, O31.8x35, O31.8x39, O31.8x90, O31.8x91, O31.8x92, O31.8x93, O31.8x94, O31.8x95, O31.8x99, O99.810, O99.814, O99.815, O99.89, Z00.00, Z00.01, Z01.411, Z01.419, Z12.4, Z13.1, Z3A.00, Z3A.01, Z34.08 - Z3A.42, Z3A.49, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93
All women planning or capable of pregnancy take a daily supplement containing 0.4 to 0.8 mg of folic acid			
Prophylactic ocular topical medications for all newborns against gonococcal ophthalmia neonatorum.			

Repeated Rh (D) antibody testing for all unsynthesized Rh (D) negative women at 24-28 weeks gestation, unless the biological father is known to be Rh (D) negative	86901	V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, Z3A.00, Z3A.01, Z3A.08 - Z3A.42, Z3A.49, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93
Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care.	86901, 80055	V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, Z3A.00, Z3A.01, Z3A.08 - Z3A.42, Z3A.49, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93
Routine vision screening	92002, 92003, 92004, 92012, 92013, 92014, 92015	V72.0	
All women of child bearing age at their first clinical encounter	86762	V73.3	Z11.59
High intensity behavioral counseling to prevent sexually transmitted infections (STIs) for all sexually active adolescents and for adults at increased risk for STIs	99401, 99402, 99403, 99404 *Effective January 1, 2019: Limit one code per plan year for STI Counseling.	V70.0 V72.31 V72.61 V72.62 V20.2 V76.41 V76.51 V76.2 V65.40	Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.84, Z11.3, Z11.4, Z11.51, Z11.8, Z11.9, Z12.11, Z12.12, Z12.4, Z70.0, Z70.1, Z70.2, Z70.3, Z70.8, Z70.9, Z71.9, Z72.51, Z72.52, Z72.53
Screen persons at increased risk for syphilis infection	86592, 86593, 80055, 80081	V74.9, V74.5, V22.0-V22.2, V23.0-V23.3, V23.41-V23.49, V23.5, V23.7, V23.81-V23.86, V23.89, V23.9, V91.00-V91.03, V91.09, V91.10-V91.12, V91.19-V91.22, V91.29, V91.90-V91.92, V91.99 V70.0 V72.31 V72.61 V72.62 V20.2 V76.41 V76.51 V76.2	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.84, Z11.2, Z11.3, Z12.11, Z12.12, Z12.4, Z3A.00, Z3A.01, Z34.08 - Z3A.42, Z3A.49, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93
Clinicians ask all adults about tobacco use and provide tobacco cessation interventions for those who use tobacco products.	99406, 99407, G0436 (G0436 deleted 10.1.16), G0437 (G0437 deleted 10.1.16)		
Up to age 21, no frequency limit Effective 9/1/16, covered for all ages at high risk.	86580	V20.2, V74.1, V70.0	Z00.00, Z00.01, Z00.121, Z00.129, Z11.1
Screening to detect amblyopia, strabismus, and defects in visual acuity	99173		
Wellness exams (baby, child, adult)	99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, G0402, G0438, G0439		
Screening to detect lung cancer in adults aged 50-80, with a history of smoking.	71271, G0296, G0297	V15.82	F17.21, F17.210, F17.211, F17.213, F17.218, F17.219, Z87.891
		Last Updated	9/15/2022